SCANTOOL
PROUD MANUFACTURER SINCE 1980

Encocheuses de tuyaux pour ateliers et industrie

 # 700681550

Grugeuse de tubes avec frein moteur - SCANTOOL 150 RSX



Scantool 150 RSX pipe grinder is perfect for grinding all kinds of pipes and profiles before welding.

Scantool 150 RSX is suitable for batch production where precision and perfect finish and fitting is required, e.g. in the production of frames, handrails, go-carts, wheel chairs, ship rails, gates, furniture frames, stainless steel constructions for the food industry.

Scantool 150 RSX is able to grind components with diameters of between 21 and 100 mm regardless on the material.

Built-in exhaust system

Scantool 150 RSX is supplied with a powerful built-in exhaust system which effectively removes most of the grinding dust from the grinding belt.

Best results are achieved by mounting the Scantool Cyclone 100S directly onto the built-in exhaust system to collect grinding dust.

Scantool Cyclone 100S is an optional extra. It can also be mounted between the pipe grinding machine and the central exhaust system.

SCANTOOL GROUP Industrivej 3-9, 9460 Brovst +45 98 23 60 88 info@scantool-group.dk

SCANTOOL
PROUD MANUFACTURER SINCE 1980

Scantool pipe grinder type 150 RSX has the following features:

• The only pipe grinder on the market that offers adjustment of the grinding section rather than the object to be ground

• Due to the adjustment of the grinding section instead of the object to be ground, the required work space is kept to an absolute minimum when grinding e.g. long pipes

• Quick and easy adjustment to all angles without the use of tools

• Precision grinding of pipes and profiles at all angles

• Perfect fit of the grinding roller to the desired diameter

• High-quality and heavy construction

• Very suitable for batch production.

Product Link:

https://scantool.dk/fr/product/pipe-grinding-machines-for-workshops-and-industry

Product Specification

Rpm	1400
Tension	3x400V-50 Hz
Moteur (CH)	4,1
Moteur (kW)	3
Taille du disque, roues d'entraînement (ø mm)	200x100x28
Bandes abrasives (mm)	150x1600
Dimension du tuyau (mm)	21-100
Capacité d'aspiration (m^3 / h)	600
Nombre de vitesses	1
Avec aspiration	1
Longueur (mm)	2350
Largeur de la machine (mm)	810

SCANTOOL GROUP Industrivej 3-9, 9460 Brovst +45 98 23 60 88 info@scantool-group.dk

Hauteur de la machine (mm)	1850
Net (kg)	225

Product Link:

https://scantool.dk/fr/product/pipe-grinding-machines-for-workshops-and-industry